

SELF-HOST

License Organizations or Premium

Afficher dans le centre d'aide:

<https://bitwarden.com/help/licensing-on-premise/>

License Organizations or Premium

Self-hosting Bitwarden is free, however some features must be unlocked in your self-hosted instance with a registered license file. A license file can be obtained from the Bitwarden-hosted web app by either an account with a premium individual subscription or by the owner of an organization.

The steps are different when working with an [individual license](#) versus an [organization license](#).

Note

The procedures in this article assume that you have already started a paid subscription to Bitwarden. If you haven't, refer to [About Bitwarden Plans](#) and [What Plan is Right for Me?](#)


Individual license

Follow these procedures when working with an individual license for a premium subscription. You'll be working in both the cloud web vault and your self-hosted web vault, and your account email addresses should match.

Retrieve individual license

After you create an account on your self-hosted server, retrieve your license from the cloud web app:

1. Log in and select **Settings** → **Subscription** from the navigation.
2. Select the **Download license** button:



The screenshot shows the Bitwarden web app interface. On the left is a dark blue sidebar with navigation links: Password Manager, Vaults, Send, Tools, Reports, Settings (highlighted), My account, Security, Preferences, Subscription (highlighted), Domain rules, and Emergency access. The main content area is titled 'Subscription' and has three tabs: Subscription (active), Payment method, and Billing history. Under the Subscription tab, there are sections for Status (Active), Details (Premium (Annually) @ \$10.00, \$10.00 /year), Next charge (Dec 4, 2025, \$10.00), and Storage (1 GB total, 0 MB used). A red circle highlights the 'Download license' button in the 'Next charge' section. A 'Cancel subscription' button is also visible.

Download personal license

Apply individual license

Next, log in to your self-hosted Bitwarden server to apply the downloaded license:

1. If you haven't already, verify your email address. You will need to have [configured SMTP-related environment variables](#) to do so.
2. Select **Settings** → **Subscription** from the navigation.
3. In the License file section, select the **Browse...** or **Choose file** button button and add the downloaded license file.
4. Select the **Submit** button to apply your premium license.

Update individual license

If for any reason you need to update your individual license file, for example when it expires:

1. Follow the steps to **Retrieve your license** again.
2. Follow the steps to **Apply your license** again, only this time you will see an **Update license** button rather than a button to browse for a new license.

Organization license

Follow these procedures when working with an organization license for a Families or Enterprise organization. You must be an [organization owner](#) to retrieve, apply, and update a license.

Retrieve organization license

Before starting an organization on your self-hosted server, retrieve your organization license from the cloud web app.

1. In the Bitwarden web app, open the Admin Console using the product switcher:

commutateur-de-produit

2. Navigate to **Billing** → **Subscription**.

3. Scroll down and select the **Download license** button.

4. When prompted, enter the installation ID that was used to install your self-hosted server and select **Submit**. If you don't know the installation ID off-hand, you can retrieve it from `./bwdata/env/global.override.env`.

Note

Make sure that the installation ID you retrieved from bitwarden.com/host uses the same [data region](#) as where your organization exists.

Apply organization license

Applying your license in a self-hosted server is the means by which you'll create a self-hosted organization. From your self-hosted web vault:

1. Start a new organization by selecting the + **Add organization** button.
2. Select the **Browse...** or **Choose file** button, add the downloaded license file, and select **Submit**.

Note

Si vous recevez un message d'erreur indiquant que `la version n'est pas prise en charge`, mettez à jour votre serveur et essayez à nouveau de télécharger votre fichier de licence. Pour mettre à jour votre serveur, faites une sauvegarde du répertoire `bwdata` et suivez les [instructions suivantes](#).

Update organization license

Organizations may need to update the license file on their self-hosted server, for example to add user seats or when your license expires. When your license expires and your organization renews, you have 60 days to apply the updated license file to your self-hosted organization.

There are two methods for doing so, however **Families organizations may only update manually**:

⇒Automatic sync

Tip

Automatic sync:

- Eliminates the need for organization admins to manually re-upload licenses. Once setup, admins will only need to trigger a sync from the **Organization** → **Billing** when an update to the license used by the self-hosted organization is required, for example when the number of seats has changed or for renewal.
- Makes [Families sponsorships](#) possible for members of self-hosted organizations. Sync for these sponsorships will automatically occur per day.

To set up automatic sync:

Note

To successfully setup Automatic Billing Sync, an active subscription license is required. If a self-hosted organization has been setup from a cloud hosted organization still in its trial period, a license will have to be downloaded and applied to the self-hosted organization once the trial period is over. Learn more about paid subscriptions [here](#).

Step 1: Enable cloud communication

First, you'll need to configure your server to allow communication with our cloud systems.

Note

Cette étape doit être réalisée par une personne ayant accès aux fichiers de configuration de votre instance auto-hébergée.

In order to enable cloud communication, set the following line in `bwddata/env/global.override.env` to `true`:

Bash

```
globalSettings__enableCloudCommunication=true
```

Once you have set this value, apply your change by running the `./bitwarden.sh rebuild` command. Start your server again with the `./bitwarden.sh start` command.


Note

L'activation de la synchronisation automatique nécessite une communication avec les systèmes en nuage de Bitwarden. Si votre environnement utilise un pare-feu pour bloquer le trafic sortant, vous devrez autoriser `https://api.bitwarden.com` ou `.eu` et `https://identity.bitwarden.com` ou `.eu`.

Step 2: Retrieve billing sync token

Once cloud communication is enabled at the server-level, a sync token needs to be passed from the cloud organization you use for billing to your self-hosted organization. To retrieve your sync token from the cloud web app:

1. Log in to the Bitwarden web app and open the Admin Console using the product switcher:



commutateur-de-produit

2. Navigate to **Billing** → **Subscription**.
3. Scroll down to the self-hosting section and select the **Set up billing sync** button.
4. Enter your master password and select **Generate token**.
5. Copy the generated token.

Step 3: Apply billing sync token

To apply the billing sync token to your self-hosted organization:

1. Open the self-hosted Admin Console and navigate to **Billing** → **Subscription**.
2. In the License and billing management section, choose the **Automatic sync** option.
3. Select the **Manage billing sync** button.
4. Paste your generated **Billing Sync Token** and select **Save**.

Note

La synchronisation pour [Families for Enterprise](#) se fera une fois par jour une fois que vous aurez déclenché votre première synchronisation. Le champ **Dernière synchronisation** de cette section indiquera **Jamais** jusqu'à ce que vous déclenchiez votre première synchronisation.

La synchronisation des mises à jour de licence doit toujours être effectuée manuellement en sélectionnant le bouton **Synchroniser la licence** (voir la section suivante pour plus de détails).

Step 4: Trigger sync

Trigger a sync once you've completed setup and **each time you need to update your license**. Sync for Families for Enterprise will occur **once daily**. To trigger a sync:

1. Open the self-hosted Admin Console and navigate to **Organization** → **Billing**.
2. Select the **Sync license** button.

Note

Si vous recevez un message d'erreur indiquant que `la version n'est pas prise en charge`, mettez à jour votre serveur et essayez à nouveau de télécharger votre fichier de licence. Pour mettre à jour votre serveur, faites une sauvegarde du répertoire `bwdata` et suivez les [instructions suivantes](#).

⇒Manual update

To manually re-upload a license file:

1. Follow the steps to **Retrieve your license** again.
2. Open the self-hosted Admin Console and navigate to **Billing** → **Subscription**.
3. In the License and billing management section, choose the **Manual upload** option.
4. Select the **Browse...** or **Choose file** button to add your license file.
5. Select **Submit**.

Note

Si vous recevez un message d'erreur indiquant que `la version n'est pas prise en charge`, mettez à jour votre serveur et essayez à nouveau de télécharger votre fichier de licence. Pour mettre à jour votre serveur, faites une sauvegarde du répertoire `bwdata` et suivez les [instructions suivantes](#).

